

MARANDA HIGH SCHOOL

Kenya Certificate of Secondary Education POST MOCK 1 EXAMINATIONS 2021

233/3

CHEMISTRY

Paper 3

January 2021 - TIME: 21/4 Hours

Name:	Adm No:
Class:Candidate's Signature: .	Date: 29/01/2021

CHEMISTRY (PRACTICALS)

TIME: 2 1/4 HOURS

INSTRUCTIONS TO CANDIDATES

- (a) Write your Name, Adm. number and Class in the spaces provided in the question paper.
- (b) Sign and write the date of examination in the spaces provided above.
- (c) Answer ALL questions in the spaces provided on the question paper
- You are NOT allowed to start working with the apparatus for the first 15 minutes of the 2½ hours allowed for this paper. This time is to enable you to read the question paper and make sure you have all the apparatus and chemicals that you may need.
- (e) All working MUST be clearly shown where necessary
- (f) Mathematical tables and silent non-programmed electronic calculators may be used.

FOR EXAMINERS USE ONLY.

QUESTION	MAXIMUM SCORE	CANDIDATES	SCORE
ì	19 ½		
2	09 ½		
3	11		
Total Score	40		

This paper consists of 8 printed pages.

Candidates should check the question paper to ascertain that all pages are printed as indicated and that no questions are missing.

- 1. You are provided with:
 - Solid F
 - 2.0M Hydrochloric acid, Solution G
 - 0.1M Sodium hydroxide, Solution H

You are required to:

• Determine the enthalpy change ΔH , for the reaction between solid **F** and **one** mole of hydrochloric acid.

Procedure A

Using a burette, place 20.0cm³ of 2.0M Hydrochloric acid, solution G in a 100ml beaker provided. Measure the temperature of the solution after every half-minute and record the values in table 1 below. At exactly 2½ minute, add all of solid F to the acid. Stir the mixture gently with the thermometer. Measure the temperature of the mixture after every half-minute and record the values in table 1. (Retain the mixture for use in procedure B).

Table 1

Time (Min)	0	1/2	1	11/2	2	21/2	3	31/2	4	41/2	5
Temperature (°C)		6				X					

(3 marks)

i) Plot graph of temperature (Y-axis) against time.

(3 marks)

HHHH		
HHH		╂┼┼┼┼┼┼
HHH		
		┩┩┼┼┼ ┼┼┼┼┼
HHH		++++++++++++++++++++++++++++++++++++
		++++++++++++++++++++++++++++++++++++
	┦┦┩┩┩┩┩┩┩┩┩┩┩┩┩┩┩┩┩┩┩┩┩┩┩┩┩┩┩┩┩┩┩┩┩┩┩	
 	┦┦┦┞┡┡╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒╒	
HIII		$\overline{1}$
 	┦┩╿┞┧┧┦┩┨┩┪┧┧┩╃┑┪┋┧┦┩╘┢┊┧┦ ┫ ┩┧┪┋┩┩┦┼┋┪┩┦┦┛╒┪┧╏┩┩┦┩┋┩┦┦┩╒┪┪┆╏ ┼┋┼┼┼╅┼┼┼╂┼┼┼	
 	192	
+++++	1 1 1 1 1 1 1 1 1 1	
		* 5 25 35
+++++	12.	(4) (4) (4)
┡┼┼┼┼		
HHH		$\overline{1}$
		111111
$\Pi\Pi\Pi$		
		
┠ ┼┼┼		++++++
┡┽┼┼┼	36 18	╂┼┼┼┼┼┼
┠ ╏╏ ┼┼┼	15% 与中国共和国	
HHH	120 200 200 200 200 200 200 200 200 200	
++++	(2) 25 25 25 25 25 25 25 25 25 25 25 25 25	╂┼┼┼ ╂╂┼┼
┞ ┦╏		╂┼┼┼┼┼┼
HHH	2 V4 2. 3	
HHH		
HHH		
HHH		
+++++		
HHH		
-++++		
-++++		++++++++++++++++++++++++++++++++++++
HHH		╂┼┼┼╂╂┼┼┼
+++++		╂┼┼┼┼┼
HHH		╂┼┼┼┼┼┼┼
	in This all the state of the st	(1 morte)
	ii) Using the graph, determine the change in temperature ΔT	(1 mark)
,		

	iii) Calculate the heat change for the reaction(Assume that the specific heat capacity	of the
	mixture is 4.2jg ⁻¹ K ⁻¹ and the density of the mixture is 1gcm ⁻³)	(1 mark)
	minute to major it and the definity of the influence to receive t	(

Procedure B

Rinse the burette thoroughly and fill it with sodium hydroxide, **Solution H**. Transfer all the contents of the 100ml beaker used in procedure A into a 250ml volumetric flask. Add distilled water to make up to the mark. Label this **solution C**. Using a pipette place 25.0cm³ of **solution C** into a 250ml conical flask. Add two or three drops of phenolphthalein indicator and titrate against sodium hydroxide. Record your results in table 2. Repeat titration two more times and complete table 2.

Table 2

Titre	1	2	3	
Final burette reading (cm³)				
Initial burette reading (cm³)				-
Volume of Solution C used (cr	m³)			
Calculate the:				 marks)
(a) average volume of sodiu	ım hydroxide used.		((1 mark)
			• • • • • • • • • • • • • • • • • • • •	
				Name of the Control o
(b) the number of moles of: (i) sodium hydroxid	le used.		(1	marks)
(ii) hydrochloric acid	d in 25 cm³ of soluti	on C.	(1 mark)
(iii) hydrochloric acid	d in 250 cm ³ of solu	tion C.	(1 mark)

	(iv) hydrochloric acid in 20.0 cm ³ of solution G.
(1 mark)	(v) hydrochloric acid that reacted with solid F
nole of hydrochloric	Calculate the enthalpy of reaction between solid F and one m
(1½ marks)	acid
your observations	ou are provided with substance R. Carry out the tests below. Write
	d inferences in the spaces provided.
(1 mark)	Degambe the appearance of substance R
,	Describe the appearance of substance R.
about 10 cm ³ of	Place the remaining amount of substance R in a boiling tube. Add
about 10 cm ³ of tests below.	Place the remaining amount of substance R in a boiling tube. Add distilled water and shake well. Use 2 cm ³ portions for each of the
about 10 cm ³ of tests below.	Place the remaining amount of substance R in a boiling tube. Add
about 10 cm ³ of tests below.	Place the remaining amount of substance R in a boiling tube. Add distilled water and shake well. Use 2 cm ³ portions for each of the (i) To one portion, add aqueous ammonia dropwise until in excess
about 10 cm ³ of tests below.	Place the remaining amount of substance R in a boiling tube. Add distilled water and shake well. Use 2 cm³ portions for each of the (i) To one portion, add aqueous ammonia dropwise until in excess Observation Inference

(ii) Describe a test that can be used to confirm the ions inferred in (b) (i) above from the materials provided.

Test	Expected Observations	
	×	
(1mark)	(2-marks)	=
	MOS 0045 005000	

(iii) To a second portion, carry out the test describe in (b) (ii) above and record the observation and inferences in the spaces provided.

Observation	Inference	
(*	½ mark)	(1 mark)

(c) To a third portion, add two drops of lead (II) nitrate and warm.

Observation		Inference	
	(1mark)		(1 mark)

3. You are provided with **substance Z**. Carry out the following tests and record your observations and inferences in the spaces provided.

(a) Place about one third of **substance Z** on a metallic spatula and burn it with a non luminous Bunsen burner flame.

Observation		Inference
	(1mark)	(1 mark)

(b) Dissolve all of the remaining substance Z in about 10 cm³ of distilled water in a boiling tube. Use about 2 cm³ portions of the solution of substance Z in a test tube for each of the tests (b) (i), (ii), (iii) and (iv).

(i) Add about 1 cm³ of acidified potassium dichromate(VI).

Observation		Inference
	(1mark)	(1mark)

(ii) Add about 1 cm³ of acidified potassium manganate(VII).

Observation	Inference
	,
(1 mark)	(1mark)

(iii) Add the piece of magnesium ribbon provided.

s .	Observation	Inference	
	y		
	(1-mark)	(1 mark)—	

	(iv) Determine the pH of the solution of			
	Method used	Inference		
т.				
,	(2 marks)		(1mark)	

THIS IS THE LAST PRINTED PAGE