KAPSABET HIGH SCHOOL



233/2 - CHEMISTRY - Paper 2



MOCK 2023

Name	Index No
School	Candidate's Signature
	Date

Kenya Certificate of Secondary Education (K.C.S.E)

CHEMISTRY

PAPER 2

(THEORY)

TIME: 2 HOURS

INSTRUCTIONS

- a) Write your name and the Index Number in the spaces provided above.
- b) Answer ALL the questions in the spaces provided after each question.
- c) Use of Mathematical sets and silent calculators may be used.
- d) All working should be clearly shown.

FOR OFFICIAL USE ONLY

QUESTIONS	MAXIMUM SCORE	CANDIDATES SCORE
1	13	
2	11	
3	12	
4	12	
5	10	
6	12	
7	10	
TOTAL	80	

This paper consists of 13 printed pages.


Candidates should check to ensure that all pages are printed as indicated and no questions are missing.

1.	a) The grid below represents part of a periodic table. Study it and answer the questions that follow	V.
	The letters do not represent the actual symbols of elements.	

	S				R	Е		X	
									V
	Q	Z					M		
								T	
i)	Ider	ntify the m	nost reactiv	e non-meta	al		1	• ((1mark)
ii)	Wh	ich of the	metal is the	e most reac	etive? Exp	olain.		((1mark)
iii)) Wh	at name is	given to th	ne family o	f element	s to which	X and T b	elong? ((1mark)
iv)			for the foll us of Q is s	_	n that of M	М			l mark
		Atomic ra	idius of Q i	s greater th		f S		((1mark)
v)		e an elem lain.	ent that do	es not form	ı compoui	nds under i	ideal condi		(2marks)

	• • • • • • • • • • • • • • • • • • • •	•••••	•••••	• • • • • • • • • • • • • • • • • • • •	•••••	
vi) Give formu	la of com	pound formed	l between E a	nd Z		(1mark)
b) Stud	dy the tab	le below and a	nswer the qu	estions th	at follow.	ヘン
Substance	A	В	C	D	E	F
Melting point (°C)	801	113	-39	5	-101	1356
		119		1		
Boiling point(°C)	1410	445	457	54	-36	2860
Electrical Conductivity (Solid)	Poor	Poor	Good	Poor	Poor	poor
Electrical Conductivity (Liquid)	Good	Poor	Good	Poor	Poor	Poor
	i) Identify a substance with:a) Giant metallic structure (1mark)					
b) Has a mole	cular etru	cture and evict	te in gaseous	ctate at ro	om temperati) ura)
and pressur		cture and exist	is in gascous	state at 10	om temperati	(1mark)
ii) Suggest a reaso	on why su	bstance B has	two melting	points.	•••••	(1mark)
iii) Substances A and C conduct electric current in the liquid state. State how the two substances						
differ as conduc	ctors of e	lectric current.				(2marks)
	••••••	•••••	••••••	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	••••••
•••••	• • • • • • • • • •	•••••	•••••	• • • • • • • • • • • •	••••••	•••••

2. Study the flow chart below and answer the questions that follow.



- b) Explain why the ore is first dissolved in excess sodium hydroxide solution. (1mark)
- c) Name the major compound present in the residue. (1mark)
- d) Give the formula of the aluminium compound present in solution (1mark)
- e) i) Explain how to obtain aluminium hydroxide from solution X (1mark)
 - ii) Write equation for reaction that takes place in (e) above (1mark)
 - iii) What is the role of cryolite in the extraction of aluminium. (1mark)

f) Aluminium is a good conductor of electricity. State two uses of aluminium based (2marks) on this property. g) If sodium carbonate is added to aluminium nitrate solution, effervescence occurs. Explain. (2marks) 3. Study the flow chart below and answer the questions that CH3CH2CH2COOCH2CH2CH3 Polymer M High pressure Step 2 Reagent Z , conc. H₂SO₄, heat Step 4 Step 1 H⁺|KMnO₄ Compound K CH₃CHCH₂ Alkanol X Substance Y Steam, 300°C Step 6 Step 5 Step 3 Nickel H⁺ | KMnO₄, warm CH₃CH₂CH₃ MgCO₃(s) Acid Q **Products** Step / follow. Give the names of the following Compound K (1mark) Substance Y ii) (1mark) iii) Product obtained in step 4 (1mark) 5

the reaction other than the temp	perature indicated.	and give one other co	ondition necessary for
Type of reaction			(1mark)
Condition			(1mark)
c)Draw the structural for	mula of the following		
i) Polymer M			(1mark)
ii) Acid Q			(1mark)
d) Give the industrial applicat	ion for the reaction in step 3		(1mark)
e) Write chemical equations for	the reactions in step 6 and step	7.	(2marks)
Step 6			
Step 7			
f) The following are structures	of two cleansing agents.		
7-0-20	- Na ⁺		
$R \leftarrow \bigcirc$	SO ₃ Na ⁺		
In the table below, give one adv	vantage and one disadvantage of	each of them.	(2marks)
Cleansing Agent	Advantage	Disadvantage	
R-COO-Na ⁺			

R-OSO3-Na ⁺	

4. The standard reduction potentials for five half cells are shown in the table **below**. Study it and answer the questions that follow. (The letters do not represent the actual symbol of elements).

Elements E^{θ} (Volts)

(i)
$$A_{2(aq)} + 2e^{-} \rightarrow 2A_{(aq)}^{-} + 1.09$$

(ii)
$$Q_{(aq)}^{2+} + 2e^{-} \rightarrow Q_{(s)} -0.13$$

(iii)
$$R_{(aq)}^{2+} + 2e^{-} \rightarrow R_{(s)}$$
 -2.37

(iv)
$$Y_{(aq)}^{2+} + 2e^{-} \rightarrow Y_{(s)} + 0.34$$

(v)
$$2S_{(aq)}^+ + 2e^- \rightarrow S_{2(s)}$$
 0.00


I (a) With a reason, identify the strongest reducing agent. (1mark)

(b) Which half-cell is likely to be hydrogen? (1mark)

(c) Write an equation for the reaction between two half cells in (ii) and (IV). (1mark)

(d) Calculate the e.m.f of the cell in (c) above. (2mark)

II The diagram **below** represents a mercury cell that can be used in the industrial manufacture of sodium hydroxide. Study it and answer the questions that follow:-



(a) Name: (i)Raw material introduced at 2. (½ mark)

ii)Another substance that can be used in the cell instead of graphite. (½ mark)

(b) Identify the by-product that comes out at **I**. (1 mark)


(c) Write an equation for the reaction: -

(i)That occurred at the anode. (1 mark)

(ii)In which sodium hydroxide was produced. (1 mark)

 (d)Give two reasons why mercury is recycled.	(2 marks)
 (e) State one use of sodium hydroxide	(1mark)

5. The flow chart below illustrates two industrial processes. Harber process and the contact process.





(a). Name the	process of obtaining nitrogen from atmospheric air.	(1mark)

(b). List TWO sources of obtaining large volumes of hydrogen for industrial use.

(i)	(1mark)
-----	---------

(d) Name the catalysts for:	(1mark)
(i) Haber process	
(ii) Contact process	
(e) Identify substances:	(1mark)
(i) D	•••••
(ii) C	
(f) Give ONE major use of compound D	(1mark)
(g) Write an equation for dilution of C with water.	(1mark)
h) A farmer has three plots each measuring 0.25 acres. He applied nitrogenous f	fertilizers as follows.
-plot A 250 kg of ammonium phosphate	
-plot B 250 kg of urea CO(NH ₂) ₂	
- Plot C 250kg of ammonium nitrate	
Which plot received the highest nitrogen content?	(3marks)
H = 1, $N = 14$, $0 = 16$. $P = 31$, $C = 12$.	` ,





(1) State two observations made when hydrogen gas pass over hot Lead (II) oxide.	(2marks)
(ii) Write the equation for the reaction which occurs in the combustion tube.	(1mark)
(iii) What property of hydrogen is shown in the experiment above.	(1mark)
(iv) Identify liquid M and describe the test for its purity	(2marks)
(v) What would be observed if MgO was used instead of Lead II Oxide: Explain	(2marks)

(vi) What is the colour of the flame	(1mark)
(vii) Write a chemical equation of the reaction producing the flame.	(1mark)
	<u> </u>
(vii) Apart from hydrogen peroxide, state two other reagents that can be used to p	repare oxygen
gas.	(1mark)
(viii) Write an equation to show how hydrogen gas is formed from the reagents ch	nosen in (vii)
above.	(1mark)
	` /

7.I. Use the data below to calculate the enthalpy change for the reaction below

II. Given the following Standard Molar enthalpies of combustion. Calculate the standard heat of formation of butane (C_4H_8) . (3marks)

$$\Delta H_c^{\theta}$$
 Carbon (Graphite) = -393.5KJ/mol

$$\Delta H^{\theta}$$
 Hydrogen = 285.8KJ/mol

$$\Delta H_c^{\theta}$$
 butene = -2877KJ/mol

III. Use the following information to answer the questions that follow

 $\Delta H_{lattice}$ Mgcl₂ = -2489 kJ/ mol⁻¹

 $\Delta H \ _{hydration} \ Mg^{2+} =$ - 1891 kJ/ mol

 $\Delta H_{hydration}Cl^- = -384 \text{ kJ/mol}$

b) Using energy level diagram calculate the molar heat of solution of magnesium chloride. (4marks)